

Aceros Inoxidables Deltametal, S.L.

Vía Augusta, 15, 703 / 08006 Barcelona / tel +34 93 2172396 / fax +34 93 2178739

WEB: <http://www.deltametal.es> / E-mail: delta@deltametal.es

ACCESORIOS TUBO SANITARIO

ACERO INOXIDABLE AISI-316

Diam Ø	Uds Bolsa	€ Ud
-----------	--------------	---------

Curva 90° H-H



15	25	3,44
18	25	3,86
22	15	4,43
28	5	5,38
35	5	8,77
42	5	13,88
54	3	19,09
76,1	1	47,82
88,9	1	71,17
108	1	96,42

Diam Ø	Uds Bolsa	€ Ud
-----------	--------------	---------

Curva 90° H-M



15	25	3,94
18	25	4,02
22	15	4,58
28	5	5,92
35	5	9,05
42	5	14,05
54	3	18,80
76,1	1	42,98
88,9	1	64,63
108	1	93,48

Curva 45° H-H



15	25	3,47
18	25	3,84
22	25	4,13
28	10	5,19
35	10	8,22
42	10	12,65
54	5	16,08
76,1	1	46,47
88,9	1	65,16
108	1	86,31

Curva 45° H-M



15	25	3,65
18	25	4,03
22	25	4,37
28	10	5,50
35	10	8,37
42	10	11,95
54	5	15,92
76,1	1	43,64
88,9	1	61,22
108	1	86,10

Manguito H-H



15	25	1,93
18	25	2,16
22	25	2,50
28	10	3,13
35	10	4,32
42	10	6,64
54	5	8,50
76,1	1	29,42
88,9	1	34,69
108	1	55,79

Te igual



15	25	5,84
18	15	6,35
22	15	6,96
28	5	8,54
35	5	10,89
42	5	15,81
54	3	18,84
76,1	1	67,76
88,9	1	89,84
108	1	117,62

Unión macho



15x1/2"	10	5,40
18x1/2"	10	5,22
18x3/4"	10	6,62
22x3/4"	10	6,64
22x1"	10	7,74
28x1"	10	7,87
35x1 1/4"	10	9,43
42x1 1/2"	10	13,39
54x2"	5	17,08
76,1x2 1/2"	1	34,81
88,9x3"	1	55,21

Unión hembra



15x1/2"	10	5,74
18x1/2"	10	5,78
18x3/4"	10	6,78
22x3/4"	10	6,85
22x1"	10	8,54
28x1"	10	8,98
35x1 1/4"	10	10,47
42x1 1/2"	10	16,20
54x2"	5	20,95
76,1x2 1/2"	1	34,25

Aceros Inoxidables Deltametal, S.L.

Vía Augusta, 15, 703 / 08006 Barcelona / tel +34 93 2172396 / fax +34 93 2178739

WEB: <http://www.deltametal.es> / E-mail: delta@deltametal.es

Diam Ø	Uds Bolsa	€ Ud
-----------	--------------	---------

Codo macho



15x1/2"	15	6,72
18x1/2"	15	6,92

Codo placa



15x1/2"	15	6,38
18x1/2"	15	6,96
22x3/4"	10	9,04
28x1"	10	10,72

Curva desviación cisne



15	1	7,86
18	1	8,41
22	1	9,23

Te reducida H



18x15	15	6,47
22x15	15	6,93
22x18	15	7,11
28x15	5	7,96
28x18	5	8,56
28x22	5	8,38
35x15	5	9,65
35x18	5	9,82
35x22	5	10,07
35x28	5	10,61
42x22	5	13,47
42x28	5	13,98
42x35	5	14,71
54x22	5	16,79
54x28	4	17,02
54x35	4	18,03
54x42	4	18,62
76,1x22	1	60,18
76,1x28	1	60,96
76,1x35	1	61,94
76,1x42	1	64,99
76,1x54	1	68,98
88,9x22	1	73,10
88,9x28	1	75,05
88,9x35	1	77,01
88,9x42	1	79,95
88,9x54	1	81,98
88,9x76,1	1	87,25
108x22	1	92,38
108x28	1	96,74
108x35	1	97,51
108x42	1	99,76
108x54	1	104,17
108x76,1	1	117,35
108x88,9	1	121,08

Diam Ø	Uds Bolsa	€ Ud
-----------	--------------	---------

Codo hembra



15x1/2"	15	6,05
18x1/2"	15	6,66
22x3/4"	15	8,04

Curva M-H desviación



15	10	8,51
18	5	9,49
22	5	10,50

Curva 2 piezas



15x1/2"	25	10,91
18x1/2"	15	12,69
18x3/4"	10	13,78
22x3/4"	10	14,72
22x1"	10	16,12

Racor 2 piezas



15x1/2"	25	6,32
15x3/4"	15	6,58
18x1/2"	15	6,76
18x3/4"	10	6,67
22x3/4"	10	8,28
22x1"	15	9,41
28x1"	10	10,08
28x1 1/4"	10	11,61
35x1 1/2"	10	13,49
42x1 1/2"	10	16,38
54x2"	5	21,00
76,1x2 1/2"	1	41,02

Manguito sinfin



15	10	3,36
18	15	3,67
22	15	5,16
28	10	6,43
35	10	7,61
42	10	9,29
54	5	12,91
76	1	-
88,9	1	-
108	1	-

Brida adaptador



54	1	76,28
76	1	83,97
88,9	1	106,25
108	1	151,11

Aceros Inoxidables Deltametal, S.L.

Vía Augusta, 15, 703 / 08006 Barcelona / tel +34 93 2172396 / fax +34 93 2178739

WEB: <http://www.deltametal.es> / E-mail: delta@deltametal.es

	Diam Ø	Uds Bolsa	€ Ud
Reducción M-H			
	18x15	25	3,22
	22x15	25	3,40
	22x18	10	3,60
	28x15	10	4,23
	28x18	10	4,42
	28x22	10	4,13
	35x22	10	5,16
	35x28	10	5,12
	42x22	10	7,17
	42x28	10	7,66
	42x35	10	7,09
	54x22	10	9,59
	54x28	10	10,35
	54x35	10	9,26
	54x42	10	10,53
	76,1x54	1	30,31
	88,9x54	1	33,95
	88,9x76,1	1	39,63
	108x54	1	40,77
	108x76,1	1	52,91
	108x88,9	1	54,42

Junta EPDM			
	15	25	0,14
	18	25	0,14
	22	25	0,15
	28	25	0,20
	35	25	0,23
	42	10	0,30
	54	10	0,59
	76,1	1	1,40
	88,9	1	1,65
	108	1	4,16

APLICACIONES JUNTAS TORICAS	EPDM	VITON
Aceites lubricantes	I	E
Gasóleos	I	E
Aceites hidráulicos	I	E
Aceites vegetales	R	E
Grasas animales	R	E
Gasolina	I	E
Keroseno	I	E
Hidrocarburos	I	E
Aguas (menos de 80° C)	E	E
Aguas (más de 80° C)	E	B
Alcoholes	E	E
Ketores	B	I
Acidos concentrados	R	MB
Acidos diluidos	B	E
Alcalinos	MB	B
Disolvente clorado	I	E
Ozono y luz solar	E	E
Temp. máximas ° C	135	200
Propiedades eléctricas	E	E
Compresión set	B	R
Resistencia a la llama	-	+

E = Excelente B = Bueno I = Inadecuado + = Si
MB = Muy bueno R = Regular - = No

	Diam Ø	Uds Bolsa	€ Ud
Te hembra			
	15x1/2"	10	7,29
	18x1/2"	10	7,68
	18x3/4"	10	9,37
	22x1/2"	10	8,26
	22x3/4"	10	10,54
	28x1/2"	10	10,40
	28x3/4"	10	12,64
	35x1/2"	5	13,94
	35x3/4"	5	14,57
	42x1/2"	5	13,92
	42x3/4"	5	16,65
	54x1/2"	3	16,46
	54x3/4"	3	19,05
	54x2"	3	29,31
	76,1x3/4"	1	67,83
	76,1x2"	1	69,98
	88,9x3/4"	1	79,11
	88,9x2"	1	83,59
	108x3/4"	1	98,85
	108x2"	1	102,05

Junta VITON			
	15	25	0,49
	18	25	0,49
	22	25	0,90
	28	25	1,06
	35	25	1,22
	42	10	1,80
	54	10	2,08
	76,1	1	10,39
	88,9	1	13,36
	108	1	23,42

Tenazas prensadoras		
	15	132,13
	18	132,13
	22	132,13
	28	141,73
	35	163,53
	42	357,47
	54	357,47
	76,1	1.839,12
	88,9	1.943,40
	108	2.077,78

- Hay una tenaza para cada medida.
- Las tenazas podrán usarse con las máquinas de prensar convencionales existentes en el mercado.
- Limpiar y engrasar las tenazas periódicamente.
- Evitar posibles manchas de óxido en el asiento de la tenaza (zona de contacto con accesorio y tubo).

Aceros Inoxidables Deltametal, S.L.

Vía Augusta, 15, 703 / 08006 Barcelona / tel +34 93 2172396 / fax +34 93 2178739

WEB: <http://www.deltametal.es> / E-mail: delta@deltametal.es

ACCESORIOS CAPILARES

ACERO INOXIDABLE AISI-316

	Diam Ø	€ Ud
Curva 90° H-H		
	10	3,07
	12	2,77
	15	2,87
	18	3,11
	22	3,36
	28	4,15
	35	7,54
	42	11,30

	Diam Ø	€ Ud
Curva 90° H-H		
	10	3,19
	12	3,24
	15	3,00
	18	3,52
	22	3,70
	28	4,54
	35	7,48
	42	11,68

	Diam Ø	€ Ud
Curva 45° H-H		
	10	2,90
	12	2,62
	15	2,68
	18	2,92
	22	3,12
	28	3,81
	35	6,09
	42	8,46

	Diam Ø	€ Ud
Curva 45° H-M		
	10	2,99
	12	2,71
	15	2,69
	18	2,98
	22	3,37
	28	3,85
	35	6,21
	42	8,36

	Diam Ø	€ Ud
Manguito H-H		
	10	1,02
	12	0,91
	15	0,92
	18	1,03
	22	1,13
	28	1,56
	35	2,44
	42	3,31

	Diam Ø	€ Ud
Te igual		
	10	4,88
	12	4,57
	15	4,02
	18	4,49
	22	5,26
	28	6,38
	35	10,34
	42	11,36

	Diam Ø	€ Ud
Enlace macho		
	10x1/4"	4,20
	10x3/8"	4,67
	12x3/8"	4,84
	12x1/2"	5,39
	15x1/2"	4,91
	18x1/2"	5,04
	18x3/4"	7,03
	22x3/4"	6,57
	22x1"	13,70
	28x1"	13,24
	35x1 1/4"	17,87
	42x1 1/2"	23,73

	Diam Ø	€ Ud
Enlace hembra		
	10x1/4"	4,57
	10x3/8"	5,78
	12x3/8"	5,75
	12x1/2"	6,29
	15x1/2"	6,46
	18x1/2"	6,60
	18x3/4"	9,28
	22x3/4"	9,62
	22x1"	14,65
	28x1"	14,22
	35x1 1/4"	24,11
	42x1 1/2"	30,29

Aceros Inoxidables Deltametal, S.L.

Vía Augusta, 15, 703 / 08006 Barcelona / tel +34 93 2172396 / fax +34 93 2178739

WEB: <http://www.deltametal.es> / E-mail: delta@deltametal.es

	Diam Ø	€ Ud
Te reducida H		
	15x12	4,08
	18x12	4,43
	18x15	4,36
	22x12	5,13
	22x15	4,80
	22x18	5,12
	28x15	6,21
	28x18	6,38
	28x22	6,52
	35x15	9,57
	35x18	9,69
	35x22	9,56
	35x28	9,66
	42x15	10,34
	42x18	10,54
	42x22	10,80
	42x28	11,15
	42x35	11,84

Racor 2 piezas		
	12x3/8"	1,75
	12x1/2"	2,10
	15x1/2"	2,08
	18x1/2"	2,31
	18x3/4"	2,74
	18x7/8"	3,64
	22x3/4"	3,16
	22x7/8"	3,44
	22x1"	3,69
	28x1"	4,02
	28x1 1/4"	4,53
	35x1 1/4"	5,15
	42x1 1/2"	7,39

	Diam Ø	€ Ud
Reducción M-H		
	12x10	0,95
	15x10	1,11
	15x12	1,00
	18x12	1,27
	18x15	0,97
	22x12	1,53
	22x15	1,33
	22x18	1,13
	28x12	9,69
	28x15	9,75
	28x18	2,05
	28x22	2,13
	35x28	2,21
	42x28	4,36
	42x35	3,70

Curva 2 piezas		
	12x3/8"	3,00
	15x1/2"	3,53
	18x3/4"	3,72
	22x1"	4,61

Te roscada H		
	15x1/2"	10,11
	18x1/2"	10,68
	22x1/2"	11,30

Codo hembra		
	15x1/2"	4,73
	18x1/2"	3,58